

NORTH AMERICAN NUMBERING PLAN PLANNING LETTER

Number: PL-NANP-174

Date: May 6, 1999

From: R.C. Breidenbaugh –NANP Administration
202-756-5779, rose.breidenbaugh@nanpa.com

Subject: Geographic Split of 414 (Wisconsin) Numbering Plan Area (NPA); addition of 262 NPA

As a result of substantial number growth in Wisconsin, the 414 NPA is nearing exhaust. The relief plan, approved by the Wisconsin Public Service Commission, calls for a geographic split of the 414 NPA and the simultaneous introduction of a new NPA, 262. The 414 NPA will continue to serve customers in the mideastern portion of the existing 414 NPA around the city of Milwaukee. The 262 NPA will serve the remaining portion of the existing 414 NPA, as shown on the attached map. After the split, exhaust of both the 414 and 262 NPAs is expected to occur in the year 2007, based on current demand projections.

Also attached are lists of current 414 NPA central office codes (NXXs) that will remain in the 414 NPA and that will move to the 262 NPA. The lists are correct as of April 20, 1999. Since NXX information may change over time, consult either the *Local Exchange Routing Guide* (LERG) or the *NPA NXX Activity Guide* (NNAG) for updated information. The LERG and NNAG are available from Telcordia's Traffic Routing Administration, 732-699-6700.

The split of the 414 NPA will occur at 12:01 a.m. Central Daylight Time on Saturday, September 25, 1999. A five-month permissive dialing period will begin simultaneously with the split and end at 12:01 a.m. Central Standard Time on Saturday, March 4, 2000. During the permissive dialing period either the 414 or the 262 NPA code will be acceptable in a dialed number terminating in the 262 NPA. After the permissive period, all calls dialed with the incorrect NPA code will be routed to an informational announcement. Activation of reassigned 414 codes begins May 3, 2000.

After the beginning of mandatory dialing on March 4, 2000, the dialing plan for the 414 and 262 NPAs is as follows:

- All home NPA (HNPA) calls, including local and Extended Area Service (EAS), will be dialed either on a 7-digit basis with no prefix -- i.e. NXX+XXXX (7 digits), or, optionally, with a prefix "1" and 10 digits (1 + NPA + NXX + XXXX)

- All foreign (FNPA) calls terminating in NPAs other than 414 and 262 will be dialed with a prefix “1” and 10 digits – i.e., 1+FNPA+NXX+XXXX (1 + 10 digits)
- All calls between 414 and 262 will be dialed on a 1 + 10-digit basis, 1+FNPA+NXX+XXXX, or when the Local Exchange Carrier elects to exercise the option of 10-digit dialing, FNPA+NXX+XXXX (10 digits).
- All operator assisted calls, including credit card, collect, and third party calls, will be dialed with a “0” prefix and 10 digits – i.e., 0+NPA+NXX+XXXX (0 + 10 digits)

All international and domestic carriers should ensure that the new 262 NPA can be translated throughout their networks no later than September 25, 1999. From May 29, 1999, until April 4, 2000, test calls to verify routing to the 262 NPA can be made by dialing 262-821-9999. A recorded announcement will indicate successful completion of the call.

Questions concerning the relief of the 414 NPA should be directed to Sandy Tokarek, NPA Relief Planner on 412-431-4091.

Questions concerning the contents of this letter may be referred to Rose Breidenbaugh, on 202 756-5779.

R. C. Breidenbaugh
North American Numbering Plan Administration

CENTRAL OFFICE CODES ASSIGNED TO THE 414 NPA

201	280	347	427	515	613	773	907
202	281	350	428	516	614	774	908
203	282	351	429	517	615	777	916
205	283	352	430	519	616	778	917
209	286	353	431	520	617	779	918
212	287	354	433	525	621	791	921
213	288	355	434	527	625	799	931
214	289	357	435	529	627	801	933
216	290	358	438	530	630	803	934
217	291	359	439	531	640	805	935
218	294	360	440	535	643	807	936
219	297	362	442	536	645	810	937
220	298	365	443	540	647	813	940
221	299	366	444	541	649	815	941
222	301	371	445	543	651	816	943
223	302	372	447	545	655	817	944
224	303	373	449	546	659	819	948
225	304	374	450	550	660	826	955
226	305	378	453	557	663	828	958
227	307	379	454	558	664	829	960
228	309	380	456	562	669	830	961
229	310	382	459	570	671	831	962
230	313	383	460	571	672	837	963
231	314	384	461	572	678	838	964
233	315	385	462	573	680	839	967
237	316	388	463	575	688	840	972
239	318	389	464	576	690	841	973
244	319	390	466	577	702	844	974
247	320	393	469	578	704	848	975
254	321	397	471	579	708	850	977
256	322	402	475	580	712	851	978
257	323	403	476	581	716	852	979
258	325	405	479	584	718	858	981
259	327	406	480	585	719	861	985
263	328	407	481	587	720	870	988
264	329	409	482	588	744	871	990
265	330	410	483	590	747	873	995
266	332	412	486	591	750	874	996
267	333	413	489	596	760	875	998
270	336	416	491	601	761	881	999
271	339	418	493	602	762	890	
272	340	419	501	603	764	897	
273	341	420	503	604	765	899	
274	342	421	505	606	766	902	
276	343	422	507	607	768	904	
277	344	423	508	609	769	905	
278	345	425	510	610	771	906	

CENTRAL OFFICE CODES ASSIGNED TO THE 262 NPA

204	312	478	552	641	706	804	887
206*	317	484	553	642	707*	806	889
207	324	485	554	644	709	808	891
208*	326	487*	555	646	710	812	895
210*	334	488*	560	648	713*	814	896
215*	335	490*	565	650	717	818*	903*
232	338	492*	566	652	723	820	910
234	346	494*	567	653	724	821	912
235	348	495	568	654	725	823	922
236	349*	496*	569	656	726	824	923
238	361	497*	574	657	728	825	924
240	363	498*	582	658	730*	827	928
241	367	499*	583	662	736	832	930*
242	368	502	592	667	739	833	932
243	369	504	593	668	740	834	938
245	370*	506	594	670	741	835	939*
246	375	509	595	673	742	836	942
248	376	512	597	674	743	843	945*
249	377	513	598	675	749*	845	947
250	387	514	605	676	752	846	949*
251	392	518	612	677	763	854	951
252	394	521	618	679	767	857	953
253	395	523	619	681	770*	859	954
255	396	524	620*	682	780	860	956
260	398	526	622	683	781	862	957
261	399*	528	623	684	782	864	965
268	404	532	626	685	783	865	966
269*	408	533	628	686	784	868*	968
275	415	534	629	689*	785	869	970
279	417	537	631	691	786	872	971
284	432	538	632	692	787	877	982
285	436	539	633	694	789	878	989*
292	437	542	634	695	790	879	
293	458	544	635	696	792	880*	
295	468	547	636	697	794	882	
296	470*	548	637	701	796	884	
306	472	549	638	703	798	885	
308	473	551	639	705*	802	886	